HUNTER DOUGLAS Federal Tax Credit May 2023 Qualifying Product Document





How to use this document

All eligible Hunter Douglas Duette® and Applause® Honeycomb products with PowerView® Automation qualify for the Federal Tax Credit.

To determine if any non-motorized Hunter Douglas Honeycomb product qualifies for the Federal Tax Credit, please follow the steps below.


- 1) Refer to the Product Qualification Reference Chart, which can be found on Pages 3-6.
- 2) In the Product Qualification Reference Chart, if the fabric is listed as "All Qualify" then ALL operating systems and sizes within that product category qualify for the Federal Tax Credit. Available operating systems include PowerView®, LiteRise®, UltraGlide® and EasyRise™ in both standard and Top-Down/Bottom-Up (TDBU).

If the fabric you purchased is listed as "Some Non-Qualifying", please reference the Qualifying/Non-Qualifying Size Grids, for those applicable operating systems.

3) Within the Qualifying/Non-Qualifying Size Grids: find the specific fabric, operating system, and size of the product. If the size of the product falls within a dark green area, the specific product configuration DOES NOT qualify. If the size of the product falls within a light green area, that specific product configuration qualifies.

IMPORTANT: Any products purchased with the following systems and design options DO NOT QUALIFY.


- Duolite®
- Vertiglide™
- Skylift[™]
- Simplicity[™]
- TrackGlide[™] (Alustra Duette & Duette Only)
- LightLock® (Alustra Duette & Duette Only)
- EasyView® Arch (Alustra Duette & Duette Only)
- Two-on-One Headrail
- End Mount
- Outside Mount
- · Specialty; including Sidelights, Shapes, Cut-outs, Magnetic Hold Down Brackets
- Fabrics not listed on pages 3-6.



			Alus	tra® Duet	te® Hone	ycomb Sł	nades			÷	
Fabric	Pleat Size & Opacity	Fabric Code (All Colors)	Qualification	PowerView®	PowerView TDBU	LiteRise®	EasyRise™	UltraGlide® TDBU	LiteRise TDBU	EasyRise TDBU	UltraGlide
Architella Leela™	¾" Room Darkening	U25	ALL Qualify								
Architella Leela	1¼" Room Darkening	U45	ALL SOME Non-Qualifying*					*CHECK GRID PAGE 7			
Architella Leela	¾" Light Filtering	U24	ALL Qualify								
Architella Leela	1¼" Light Filtering	U44	SOME Non-Qualifying*					*CHECK GRID PAGE 7			
Architella Macon™	¾" Room Darkening	U27	ALL Qualify								
Architella Macon	1¼" Room Darkening	U47	SOME Non-Qualifying*					*CHECK GRID PAGE 8			
Architella Macon	¾" Light Filtering	U26	ALL Qualify								
Architella Macon	1¼" Light Filtering	U46	SOME Non-Qualifying*					*CHECK GRID PAGE 8			
Architella Solasta™	¾" Room Darkening	U29	ALL Qualify								
Architella Solasta	1¼" Room Darkening	U49	ALL Qualify								



				Duette® I	Honeycon	nb Shade	S				
Fabric	Pleat Size & Opacity	Fabric Code (All Colors)	Qualification	PowerView®	PowerView TDBU	LiteRise®	EasyRise™	UltraGlide® TDBU	LiteRise TDBU	EasyRise TDBU	UltraGlide
Architella® Alexa™	¾" Room Darkening	C94	SOME Non-Qualifying*					*CHECK GRID PAGE 9			
Architella Alexa	1¼" Room Darkening	C89	SOME Non-Qualifying*					*CHECK GRID PAGE 10			
Architella Alexa	¾" Light Filtering	C93	SOME Non-Qualifying*					*CHECK GRID PAGE 9			
Architella Alexa	1¼" Light Filtering	C88	SOME Non-Qualifying*					*CHECK GRID PAGE 10			
Architella Batiste Bamboo	¾" Room Darkening	C96	SOME Non-Qualifying*					*CHECK GRID PAGE 11			
Architella Batiste Bamboo	1¼" Room Darkening	C98	SOME Non-Qualifying*					*CHECK GRID PAGE 12			
Architella Classic™	¾" Room Darkening	C51	SOME Non-Qualifying*					*CHECK GRID PAGE 13	*CHECK GRID PAGE 14	*CHECK GRID PAGE 15	
Architella Classic	¾" Light Filtering	C50	SOME Non-Qualifying*					*CHECK GRID PAGE 13	*CHECK GRID PAGE 14	*CHECK GRID PAGE 15	*CHECK GRID PAGE 16
Classic	3/8" Room Darkening	H7	SOME Non-Qualifying*			N/A		*CHECK GRID PAGE 17	N/A		
Classic	¾" Room Darkening	D7	SOME Non-Qualifying*					*CHECK GRID PAGE 17	*CHECK GRID PAGE 18	*CHECK GRID PAGE 19	*CHECK GRID PAGE 20
Commercial with MicroShield™	¾" Room Darkening	D23	SOME Non-Qualifying*					*CHECK GRID PAGE 21			
Commercial with MicroShield	¾" Light Filtering	D22	SOME Non-Qualifying*					*CHECK GRID PAGE 21			
Architella Elan® and Elan® Metallic	¾" Room Darkening	C23	SOME Non-Qualifying*					*CHECK GRID PAGE 22			
Architella Elan and Elan Metallic	1¼" Room Darkening	C43	SOME Non-Qualifying*					*CHECK GRID PAGE 22	*CHECK GRID PAGE 24	*CHECK GRID PAGE 25	
Architella Elan and Elan Metallic	¾" Light Filtering	C22	SOME Non-Qualifying*					*CHECK GRID PAGE 23			
Architella Elan and Elan Metallic	1¼" Light Filtering	C42	SOME Non-Qualifying*					*CHECK GRID PAGE 23	*CHECK GRID PAGE 24	*CHECK GRID PAGE 25	
Architella India Silk™	¾" Room Darkening	U23	ALL Qualify								
Architella India Silk	1¼" Room Darkening	U43	ALL Qualify								
Architella India Silk	¾" Light Filtering	U22	ALL Qualify								
Architella India Silk	1¼" Light Filtering	U42	ALL Qualify								




				Duette® H	loneycon	nb Shade	S				
Fabric	Pleat Size & Opacity	Fabric Code (All Colors)	Qualification	PowerView®	PowerView TDBU	LiteRise®	EasyRise™	UltraGlide® TDBU	LiteRise TDBU	EasyRise TDBU	UltraGlide
Architella Reception	¾" Room Darkening	C57	SOME Non-Qualifying*					*CHECK GRID PAGE 26	*CHECK GRID PAGE 27	*CHECK GRID PAGE 28	
Architella Reception	¾" Light Filtering	C56	SOME Non-Qualifying*					*CHECK GRID PAGE 26	*CHECK GRID PAGE 27	*CHECK GRID PAGE 28	
Reception	¾" Room Darkening	D57	SOME Non-Qualifying*					*CHECK GRID PAGE 29	*CHECK GRID PAGE 30	*CHECK GRID PAGE 31	*CHECK GRID PAGE 32
Architella Thea™	¾" Room Darkening	C59	SOME Non-Qualifying*					*CHECK GRID PAGE 33	*CHECK GRID PAGE 35		
Architella Thea	1¼" Room Darkening	C61	SOME Non-Qualifying*					*CHECK GRID PAGE 33	*CHECK GRID PAGE 35	*CHECK GRID PAGE 37	
Architella Thea	¾" Light Filtering	C58	SOME Non-Qualifying*					*CHECK GRID PAGE 34	*CHECK GRID PAGE 36	*CHECK GRID PAGE 37	
Architella Thea	1¼" Light Filtering	C60	SOME Non-Qualifying*					*CHECK GRID PAGE 34	*CHECK GRID PAGE 36	*CHECK GRID PAGE 38	*CHECK GRID PAGE 39



			^	pplause®	Honeyco	mh Shad	ΔC				
Fabric	Pleat Size & Opacity	Fabric Code (All Colors)	Qualification	PowerView®	PowerView TDBU	LiteRise®	EasyRise™	UltraGlide® TDBU	LiteRise TDBU	EasyRise TDBU	UltraGlide
HDOrigins® Esprit™	¾" Room Darkening	E37	SOME Non-Qualifying*					*CHECK GRID PAGE 40	*CHECK GRID PAGE 40	*CHECK GRID PAGE 41	
Amity™	¾" Room Darkening	E55	SOME Non-Qualifying*					*CHECK GRID PAGE 42	*CHECK GRID PAGE 42	*CHECK GRID PAGE 43	*CHECK GRID PAGE 43
Kinship™	¾" Room Darkening	E27	SOME Non-Qualifying*					*CHECK GRID PAGE 44	*CHECK GRID PAGE 44	*CHECK GRID PAGE 45	
Legends™	3/8" Room Darkening	E4	SOME Non-Qualifying*			N/A		*CHECK GRID PAGE 46	N/A		
Legends	¾" Room Darkening	E3	SOME Non-Qualifying*					*CHECK GRID PAGE 46	*CHECK GRID PAGE 47	*CHECK GRID PAGE 47	*CHECK GRID PAGE 48
Sunterra™	3/8" Room Darkening	E43	SOME Non-Qualifying*			N/A		*CHECK GRID PAGE 49	N/A		
Sunterra	¾" Room Darkening	E41	SOME Non-Qualifying*					*CHECK GRID PAGE 49	*CHECK GRID PAGE 50	*CHECK GRID PAGE 50	*CHECK GRID PAGE 51
Vintage™	¾" Room Darkening	E51	SOME Non-Qualifying*					*CHECK GRID PAGE 52	*CHECK GRID PAGE 52	*CHECK GRID PAGE 53	


Alustra® Duette® Honeycomb Shades



38/1	DTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
VVI		24**	30	30	42	40	54	00	00	12	/0	04	90	106	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
ဥ	78																
HEIGHT TO	84																
里	90																
	96																
	102																
Ì	108																
	114																
	120																
	132																
	144																

Arci (U4	hitella® 4)	Leela ⁻	[™] 1 ¼"	Light F	iltering	ı				• Ultra	Glide®, To	op-Down	/Bottom-	·Up			
WI	DTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
으	78																
неіснт то	84																
뿔	90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																

Alustra® Duette® Honeycomb Shades




	DT11 T0	0.41	0.5	0.0	4.5	4.5								105	105	105	
W	DTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
2	78																
HEIGHT TO	84																
里	90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																

Arci (U4	hitella® 6)	Macor	า™ 1¼'	' Light	Filterin	ıg				• Ultra	Glide®, To	op-Down	/Bottom-	-Uр			
WI	DTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
2	78																
неіснт то	84																
뿔	90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																

Qualifying
Non-Qualifying

Arc (C9	hitella® 4)	Alexa	3″ 3⁄4″	Room	Dark	ening					• Ultra	aGlide®,	Top-Do	wn/Bott	om-Up		
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
10	66																
неівнт то	72																
里	78																
	84																
	90																
	96																
	102																
	108																

Arc (C9	hitella® 3)	Alexa	1™ ¾"	Light	Filteri	ng					• Ultra	aGlide®,	Top-Do	wn/Bott	om-Up		
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
1 T	78																
неіснт то	84																
_	90																
	96																
	102																
	108																
	114																
	120																
	132																




	9)																
WI	DTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
2	78																
HEIGHT TO	84																
뽀	90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																


Arc (C8	hitella® 8)	Alexa	™ 1¼"	Light F	ilterinç	9				• Ultra	Glide®, To	op-Down	/Bottom-	-Uр			
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
10	78																
неіснт то	84																
포	90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																

Qualifying
Non-Qualifying

Arc (C9	hitella® 6)	Batis	te Bar	nboo [:]	¾" Ro	om Da	arkeni	ng			• Ultra	aGlide®,	Top-Do	wn/Bott	om-Up		
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
10	72																
HEIGHT TO	78																
포	84																
	90																
	96																
	102																
	108																
	114																
	120																



	3)																
WI	DTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
၉ [78																
HEIGHT TO	84																
里「	90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																




10/1	DTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
VVI		24	30	30	42	40	34	00	00	12	70	04	50	100	120	132	144
-	36"																
	42																
	48																
	54																
	60																
	66																
	72																
2	78																
HEIGHT TO	84																
포	90																
	96																
	102																
ŀ	108																
	114																
	120																
	132																
	144																

Arci (C5	hitella® 0)	Classi	C™ ¾"	Light F	ilterinç	9				• Ultra	Glide®, To	op-Down	/Bottom-	-Uр			
WI	DTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
10	78																
неіснт то	84																
뽀	90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																

Qualifying
Non-Qualifying

Arc (C5		Classic	C [™] 3⁄4"	Room	Darke	ning				• LiteR	Rise®, Top	-Down/E	Bottom-Up)
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108
	36"													
	42													
	48													
10	54													
неіснт то	60													
포	66													
	72													
	78													
	84													

Arc (C5	hitella® 0)	Class	ic™ ¾"	Light I	Filterin	g				• LiteR	Rise®, Top	-Down/E	Bottom-Up)
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108
	36"													
	42													
	48													
2	54													
неіснт то	60													
里	66													
	72													
	78													
	84													




	1)																		
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144	156	174
	36"																		
	42																		
	48																		
	54																		
	60																		
	66																		
	72																		
2	78																		
HEIGHT TO	84																		
里	90																		
	96																		
	102																		
	108																		
	114																		
	120																		
	132																		
	144																		

Arc (C5	hitella® 0)	Class	sic™ ¾	" Ligh	nt Filte	ring					• Easy	⁄Rise™, ¹	Top-Dov	vn/Botto	m-Up				
١	WIDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144	156	174
	36"																		
	42																		
	48																		
	54																		
	60																		
	66																		
	72																		
2	78																		
HEIGHT TO	84																		
里	90																		
	96																		
	102																		
	108																		
	114																		
	120																		
	132																		
	144																		

Qualifying
Non-Qualifying

(C50)																	
WIDTH	н то	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
2	78																
HEIGHT TO	84																
뿔	90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																



Clas (H7	ssic ^{™ 3} ⁄	's" Roo	m Dark	kening						• Ultra	Glide®, To	op-Down	/Bottom-	-Up			
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
T0	78																
НЕІСНТ ТО	84																
뽀	90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																


Clas (D7	ssic™ ¾)	i" Ligh	t Filter	ring						• Ultra	Glide®, To	op-Down	/Bottom-	·Up			
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
10	78																
неіснт то	84																
포	90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																

Qualifying
Non-Qualifying


Clas (D7	ssic™ ¾)	4" Ligh	nt Filter	ring						• LiteF	Rise®, Top	o-Down/E	Bottom-Up)
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108
	36"													
	42													
	48													
2	54													
неіснт то	60													
里	66													
	72													
	78													
	84													

Qualifying
Non-Qualifying

14/1	DTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144	156	174
VVI	36"	24	30	30	42	40	34	00	00	12	76	04	90	100	120	132	144	130	174
-	42		_																
-																			
	48																		
-	54																		
-	60																		
-	66																		
-	72																		
2	78																		
HEIGHT TO	84																		
≝│	90																		
	96																		
	102																		
	108																		
	114																		
	120																		
	132																		
	144																		




)																
WI	DTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
2	78																
HEIGHT TO	84																
里「	90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																




WI	DTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"	2-7	- 00	00	72	70	04	00	00	12	70	01	- 50	100	120	102	
	42																
	48																
	54																
	60																
	66		\rightarrow														
	72																
2	78		\rightarrow														
HEIGHT TO	84																
ᄬᆝ	90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																

Con (D2	nmercia 2)	al with	Micro	Shield	[™] ¾" Li	ght Fil	tering			• Ultra	Glide®, To	op-Down	/Bottom-	-Uр			
W	DTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
2	78																
неіснт то	84																
뽀	90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																



WI	DTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"							-						100	120		
	42																
	48																
	54																
	60																
	66																
	72																
2	78																
HEIGHT TO	84																
포	90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																

WI	DTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
2	78																
HEIGHT TO	84																
뿔	90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																




14/1	DTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
VVI		24	30	30	42	40	34	00	00	12	70	04	90	100	120	132	144
-	36"																
	42																
	48																
	54																
	60																
	66																
	72																
၉ [78																
HEIGHT TO	84																
里	90																
	96																
	102																
ı	108																
Ì	114																
	120																
	132																
	144																

38/	DTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
VVI		24	30	30	42	40	54	00	00	12	70	04	90	100	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
2	78																
HEIGHT TO	84																
里	90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																

Qualifying
Non-Qualifying


Arc (C4	hitella® 3)	• Elan®	and El	an Met	allic 1	/4" Roc	m Dar	kening		• LiteF		ttom-Up	
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96
	36"												
	42												
	48												
2	54												
неіснт то	60												
포	66												
	72												
	78												
	84												

Arc (C4		® Elan®	and El	an Met	tallic 1	¼" Ligi	ht Filte	ring		• LiteF Top-		ttom-Up	
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96
	36"												
	42												
	48												
2	54												
HEIGHT TO	60												
포	66												
	72												
	78												
	84												



Arci (C4:	hitella® 3)	· Elan	and	Elan M	letallio	1¼"	Room	Dark	ening		• Easy	⁄Rise™, ¹	Top-Dov	vn/Botto	m-Up				
W	DTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144	156	174
	36"																		
	42																		
	48																		
	54																		
	60																		
	66																		
	72																		
10	78																		
НЕІСНТ ТО	84																		
포	90																		
	96																		
	102																		
	108																		
	114																		
	120																		
	132																		
	144																		

Arci (C4	hitella® 2)	Elan	and l	Elan M	letallio	c 1¼"	Light	Filteri	ng		• Easy	⁄Rise [™] ,	Top-Dov	vn/Botto	m-Up				
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144	156	174
	36"																		
	42																		
	48																		
	54																		
	60																		
	66																		
	72																		
2	78																		
неіснт то	84																		
뽀	90																		
	96																		
	102																		
	108																		
	114																		
	120																		
	132																		
	144																		




34/	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
VV		24"	30	30	42	40	54	00	00	12	/6	04	90	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
2	78																
неівнт то	84																
띺	90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																

Arc (C5	hitella® 6)	Recep	otion ¾	" Light	Filteri	ng				• Ultra	Glide®, To	op-Down	/Bottom-	-Uр			
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
10	78																
неіснт то	84																
뽀	90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																

Qualifying
Non-Qualifying

Arc (C5		Recep	otion ¾	" Roor	n Dark	ening				• LiteF		ttom-Up	
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96
	36"												
	42												
	48												
2	54												
неіснт то	60												
포	66												
	72												
	78												
	84												

Arc (C5	hitellaª 6)	Recep	otion ¾	" Light	t Filteri	ng				• LiteR		ttom-Up	
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96
	36"												
	42												
	48												
2	54												
HEIGHT	60												
里	66												
	72												
	78												
	84												



Arci (C5)	hitella® 7)	кесе	ption	%" K0	om D	arkeni	ing				• Easy	/Rise [™] , ^¹	Top-Dov	vn/Botto	m-Up				
V	VIDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144	156	174
	36"																		
	42																		
	48																		
	54																		
	60																		
	66																		
	72																		
HEIGHT TO	78																		
臣己	84																		
_	90																		
	96																		
	102																		
	108																		
	114																		
	120																		
	132																		


Arc (C5	hitella® 6)	Rece	ption	3⁄4" Liç	ght Fil	tering					• Easy	⁄Rise™, ⁻	Top-Dov	vn/Botto	m-Up				
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144	156	174
	36"																		
	42																		
	48																		
	54																		
	60																		
	66																		
	72																		
1	78																		
HEIGHT TO	84																		
_	90																		
	96																		
	102																		
	108																		
	114																		
	120																		
	132																		

Qualifying
Non-Qualifying


	7)																
WII	DTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
ဥ	78																
HEIGHT TO	84																
里「	90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																

Qualifying
Non-Qualifying

Rec (D5	eption 7)	¾" Ro	om Da	rkenin	g					• LiteP	Rise®, Top	o-Down/E	Bottom-Up)
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108
	36"													
	42													
	48													
10	54													
неіснт то	60													
里	66													
	72													
	78													
	84													



WIDT	ГН ТО	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144	156	174
WID	36"		30	30	72	70	54	00	00	12	70	04	30	100	120	102	144	150	17-4
	42																		
	48																		
	54																		
	60																		
	66																		
	72																		
۵	78																		
HEIGHT 10	84																		
포	90																		
	96																		
	102																		
	108																		
	114																		
	120																		
	132																		
	144																		




(D57				rkening						• Ultra	Glide®						
WID	отн то	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
۵ [78																
HEIGHT TO	84																
Ψ [90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																

Qualifying
Non-Qualifying

Arcl (C5	hitella® 9)	Thea"	′ ¾" R	oom Da	arkenin	ıg				• Ultra	Glide®, To	op-Down	/Bottom-	Up			
WI	DTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
10	66																
неіснт то	72																
里 [78																
	84																
	90																
	96																
	102																
	108																

Arc (C6	hitella® 1)	Thea™	' 1¼" F	Room D	arkeni	ng				• Ultra	Glide®, To	op-Down	/Bottom-	Up			
W	DTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
10	78																
неіснт то	84																
里	90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																



Arcl (C5	hitella® 8)	Thea™	' ¾" Li	ght Fill	tering					• Ultra	Glide®, To	p-Down	/Bottom-	-Up			
WI	DTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
HEIGHT TO	78																
EIGI	84																
	90																
	96																
	102																
	108																
	114																
	120																
	132																

Arci (C6	hitella® 0)	Thea™	′ 1¼" I	Light Fi	Itering					• Ultra	Glide®, To	op-Down	/Bottom-	-Up			
WI	DTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
10	78																
неіснт то	84																
뽀	90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																

Qualifying
Non-Qualifying

	Architella® Thea™ ¾" Room Darkening (C59) • LiteRise®, Top-Down/Bottom-Up												
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96
	36"												
	42												
	48												
2	54												
неіснт то	60												
里	66												
	72												
	78												
	84												


	Architella® Thea™ 1¼" Room Darkening (C61) • LiteRise®, Top-Down/Bottom-Up												
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96
	36"												
	42												
	48												
2	54												
HEIGHT	60												
里	66												
	72												
	78												
	84												

Qualifying
Non-Qualifying

	Architella® Thea™ ¾" Light Filtering (C58) • LiteRise®, Top-Down/Bottom-Up													
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108
	36"													
	42													
	48													
10	54													
неіснт то	60													
포	66													
	72													
	78													
	84													

	Architella® Thea™ 1¼" Light Filtering (C60) • LiteRise®, Top-Down/Bottom-Up													
WIDTH TO 24" 30 36 42 48 54 60 6									66	72	78	84	96	108
	36"													
	42													
	48													
2	54													
HEIGHT	60													
里	66													
	72													
	78													
	84													

Duette® Honeycomb Shades



	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144	156	174
VV		24	30	30	42	40	34	60	00	12	70	04	90	100	120	132	144	100	174
	36"																		
	42																		
	48																		
	54																		
	60																		
	66																		
	72																		
2	78																		
HEIGHT TO	84																		
포	90																		
	96																		
	102																		
	108																		
-	114																		
-	120																		
-																			
	132 144																		

Arc (C5	hitella® 8)	Thea	™ 3⁄4"	Light F	Filterin	ng					• Easy	⁄Rise™, ⁻	Top-Dov	vn/Botto	m-Up				
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144	156	174
	36"																		
	42																		
	48																		
	54																		
	60																		
	66																		
	72																		
2	78																		
HEIGHT TO	84																		
뽀	90																		
	96																		
	102																		
	108																		
	114																		
	120																		
	132																		
	144																		

Alustra® Duette® Honeycomb Shades

Qualifying
Non-Qualifying

WIDTI	н то	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144	156	174
	36"												-						
	42																		
	48																		
	54																		
	60																		
	66																		
	72																		
۹ 🗌	78																		
HEIGHT 10	84																		
뽀	90																		
	96																		
	102																		
	108																		
	114																		
	120																		
	132																		
	144																		

Duette® Honeycomb Shades


Qualifying
Non-Qualifying

(C6 0))									• Ultra	diido						
WII	DTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
2	78																
HEIGHT TO	84																
里	90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																

Qualifying
Non-Qualifying

10/	IDTU TO	24"	20	26	42	40	EA	60	cc	70	70	0.4	06	100	120	122	144
VVI	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
ဥ	78																
HEIGHT TO	84																
里	90																
	96																
	102																
	108																
	114																
	120																
	132																
	144														-		

HD(Origins® 7)	· Espri	t™ ¾"	Room I	Darken	ing				• LiteR	ise®, Top	-Down/E	Bottom-U	р	
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120
	36"														
	42														
	48														
2	54														
HEIGHT	60														
里	66														
	72														
	78														
	84														




WID.	тн то	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144	156	174
	36"																		
	42																		
	48																		
	54																		
	60																		
	66																		
	72																		
٥ _	78																		
HEIGHI 10	84																		
≝└	90																		
	96																		
	102																		
	108																		
	114																		
	120																		
	132																		
	144																		

Qualifying
Non-Qualifying

18/1	ртн то	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
VVI		24	30	30	42	40	54	60	00	12	70	04	90	106	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
၉ ်	78																
HEIGHT TO	84																
	90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																

Ami (E5	ity™ ¾'' 5)	' Room	Darke	ening						• LiteR	ise®, Top	-Down/E	Bottom-Up	0	
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120
	36"														
	42														
	48														
2	54														
неіснт то	60														
里	66														
	72														
	78														
	84														




Ami (E5	ity™ ¾' 5)	' Roor	n Dark	ening							• Easy	/Rise [™] ,	Top-Dov	vn/Botto	om-Up				
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144	156	174
	36"																		
	42																		
	48																		
	54																		
	60																		
	66																		
	72																		
10	78																		
НЕІСНТ ТО	84																		
뽀	90																		
	96																		
	102																		
	108																		
	114																		
	120																		
	132																		
	144																		

Ami (E5	ity™ ¾'' 5)	' Room	Darke	ning							• Ultra	Glide®					
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
10	78																
неіснт то	84																
포	90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																


Qualifying
Non-Qualifying

100	DTUTO	0.411	20	20	40	40	E.4	00	00	70	70	0.4	00	100	100	100	400
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
2	78																
HEIGHT TO	84																
里	90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																

Kins (E2	ship™ ¾ 7)	4" Roo	m Darl	kening						• LiteR	ise®, Top	-Down/E	Bottom-U	р	
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120
	36"														
	42														
	48														
2	54														
HEIGHT	60														
里	66														
	72														
	78														
	84														



WID	тн то	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144	156	174
1110	36"	24	30	30	72	40	54	00	00	12	70	04	30	100	120	102	144	150	174
	42																		
	48																		
	54																		
	60																		
	66																		
	72																		
ا و	78																		
HEIGHT TO	84																		
뽀	90																		
	96																		
	102																		
	108																		
	114																		
	120																		
	132																		
	144																		




100) IDTU TO	0.41	0.0	0.0	40	40		20	00	70	70	0.4	0.0	400	400	400	
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
0	78																
неіснт то	84																
Ħ	90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																

Leg (E3)	ends™	¾" Ro	om Da	rkening	1					• Ultra	Glide®, To	op-Down	/Bottom-	-Uр			
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
2	78																
HEIGHT TO	84																
뽀	90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																


Qualifying
Non-Qualifying

Leg (E3)	ends™	¾" Ro	om Da	rkenin	g					• LiteR	ise®, Top	-Down/E	Bottom-U	p	
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120
	36"														
	42														
	48														
2	54														
НЕІСНТ ТО	60														
里	66														
	72														
	78														
	84														

Leg (E3)	ends™	34" R	oom D	arkeni	ing						• Easy	/Rise [™] ,	Top-Dov	vn/Botto	om-Up				
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144	156	174
	36"																		
	42																		
	48																		
	54																		
	60																		
	66																		
	72																		
10	78																		
НЕІСНТ ТО	84																		
포	90																		
	96																		
	102																		
	108																		
	114																		
	120																		
	132																		
	144																		



сеуе (ЕЗ)	ilus	74 NU	JIII Dai	rkening	J					• Ultra	Glide®						
WIE	от нто	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
2	78																
HEIGHT TO	84																
Ξ [90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																




100	3)	0.411	20	20	40	40	E.4	00	00	70	70	0.4	00	100	100	100	4.44
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
ဥ	78																
HEIGHT TO	84																
里	90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																

Sun (E4	iterra™ 1)	¾" Ro	om Da	rkenin	g					• Ultra	Glide®, To	op-Down	/Bottom-	·Up			
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
10	78																
неіснт то	84																
포	90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																

Qualifying
Non-Qualifying

Sun (E4	iterra™ 1)	¾" Ro	om Da	rkenin	g					• LiteR	lise®, Top	-Down/E	Bottom-U	p	
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120
	36"														
	42														
	48														
10	54														
НЕІСНТ ТО	60														
핖	66														
	72														
	78														
	84														

Sur (E4	iterra™ 1)	34" R	oom D	arken	ing						• Easy	yRise™,	Top-Dov	wn/Botto	om-Up				
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144	156	174
	36"																		
	42																		
	48																		
	54																		
	60																		
	66																		
	72																		
10	78																		
неіснт то	84																		
포	90																		
	96																		
	102																		
	108																		
	114																		
	120																		
	132																		
	144																		




(E41	terra™ : I)									• Ultra	Glide®						
WI	DTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
2	78																
HEIGHT TO	84																
뽀	90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																

Qualifying
Non-Qualifying

	1)	_															
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144
	36"																
	42																
	48																
	54																
	60																
	66																
	72																
2	78																
HEIGHT TO	84																
Ħ	90																
	96																
	102																
	108																
	114																
	120																
	132																
	144																

Vint (E5	tage™ 3 1)	4" Roo	m Darl	kening						• LiteR	ise®, Top	-Down/E	Bottom-U	р	
W	IDTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120
	36"														
	42														
	48														
2	54														
HEIGHT	60														
里	66														
	72														
	78														
	84														



WID	OTH TO	24"	30	36	42	48	54	60	66	72	78	84	96	108	120	132	144	156	174
-	36"		00	- 00	72	10	04	- 00	00	12	70	01	30	100	120	102	144	100	17-4
	42																		
	48																		
	54																		
	60																		
	66																		
	72																		
၉ 🗆	78																		
HEIGHT TO	84																		
里「	90																		
	96																		
	102																		
	108																		
	114																		
	120																		
	132																		
	144																		